
computers & structures

An
International
Journal

List of Contents and Author Index
Volume 44, 1992



PERGAMON PRESS
OXFORD · NEW YORK · SEOUL · TOKYO

computers & structures

An
International
Journal

editor-in-chief

Prof. H. Liebowitz c/o A.E.R.D.C.O.
P.O. Box 25736
Washington, DC 20007-8736, U.S.A.

editorial advisory board

**Prof. E. R. Arantes e
Oliveira**

Lisbon, Portugal

Prof. H. Ashley
Calif., U.S.A.

Prof. S. N. Atluri
Ga, U.S.A.

Dr M. L. Baron
N.Y., U.S.A.

Prof. K. J. Bathe
Mass., U.S.A.

Prof. B. A. Boley
N.Y., U.S.A.

Prof. L. Broglio
Rome, Italy

Dr T. A. Cruse
Tenn., U.S.A.

Prof. S. J. Fennes
Pa, U.S.A.

Dr R. E. Fulton
Va, U.S.A.

Dr D. S. Griffin
Pa, U.S.A.

Dr M. C. Junger
Mass., U.S.A.

Dr Z. Knesl
Brno, Czechoslovakia

Prof. R. D. Logcher
Mass., U.S.A.

Dr R. H. MacNeal
Calif., U.S.A.

Prof. P. V. Marcal
Calif., U.S.A.

Prof. Ch. Massonnet
Liège, Belgium

Dr R. J. Melosh
N.C., U.S.A.

Prof. T. Moan
Trondheim, Norway

Prof. F. Niordson
Lyngby, Denmark

Prof. A. K. Noor
Va, U.S.A.

Prof. J. T. Oden
Tx., U.S.A.

Prof. K. A. V. Pandalai
Madras, India

Prof. T. H. H. Pian
Mass., U.S.A.

Dr G. G. Pope
Hants, U.K.

Prof. E. P. Popov
Calif., U.S.A.

Dr J. P. Raney
Va, U.S.A.

Prof. J. N. Reddy
Va, U.S.A.

Dr E. M. Q. Røren
Oslo, Norway

Prof. L. A. Schmit, Jr
Calif., U.S.A.

Prof. E. Sevin
D.C., U.S.A.

Dean A. Sherbourne
Ontario, Canada

Mr I. C. Taig
Preston, U.K.

Prof. B. H. V. Topping
Edinburgh, U.K.

Prof. T. G. Toridis
D.C., U.S.A.

Prof. F. Venancio-Filho
Rio de Janeiro, Brazil

Prof. Y. Yamada
Tokyo, Japan

Prof. O. C. Zienkiewicz
Swansea, U.K.

Production Editor: Mark Lazenby, Pergamon Press Ltd, Headington Hill Hall, Oxford OX3 0BW, U.K.

Publishing, Subscription, and Advertising Offices: Pergamon Press Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A., or Pergamon Press Ltd, Headington Hill Hall, Oxford OX3 0BW, U.K.

Published two issues/month (four volumes 1992)

Annual subscription rates (1992)

Annual Institutional Subscription Rate (1992): £1255.00 (US\$2280.00). Two-year Institutional Rate (1992/93): £2384.50 (US\$4332.00). Sterling prices are definitive. US dollar prices are quoted for convenience only, and are subject to exchange rate fluctuation. Prices include postage and insurance and are subject to change without notice. Subscription rates for Japan include despatch by air and prices are available on request. Personal subscription rate for those whose library subscribes at the regular rate is available from any Pergamon Press office.

Application to mail at second class postage rate is pending at Rahway, NJ. Postmaster send address corrections to Computers & Structures, c/o Pergamon Press Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A.

Whilst every effort is made by the publishers and editorial board to see that no inaccurate or misleading data, opinion or statement appears in this journal, they wish to make it clear that the data and opinions appearing in the articles and advertisements herein are the sole responsibility of the contributor or advertiser concerned. Accordingly, the publishers, the editorial board and editors and their respective employees, officers and agents accept no responsibility or liability whatsoever for the consequences of any such inaccurate or misleading data, opinion or statement.

Copyright © 1992 Pergamon Press Ltd

Cover design by Mr J. Koukos

LIST OF CONTENTS

NUMBER 1/2

WCCM II: SECOND WORLD CONGRESS OF COMPUTATIONAL MECHANICS

| | |
|--|-----|
| Preface | vii |
| Prologue | ix |
| MATERIAL BEHAVIOUR, CONSTITUTIVE RELATIONS | |
| H. Cords and R. Zimmermann: Verification of a visco-plastic material model using data from hot tensile tests and creep experiments | 1 |
| H. P. Stüwe and R. Pippan: On the energy balance of fatigue crack growth | 13 |
| A. M. Kaynia: Transient Green's functions of fluid-saturated porous media | 19 |
| V. N. Ivanov: Computer modelling of main MDFB formation mechanisms in compound engineering materials with multilevel damaging architecture from kinetics of plastic deformation and microfracture carriers | 29 |
| FRACTURE MECHANICS | |
| K. P. Herrmann and F. Ferber: Numerical modelling of elementary failure mechanisms and associated caustics in two-phase composite structures | 41 |
| S. Valente: Bifurcation phenomena in cohesive crack propagation | 55 |
| D. J. Keum and B. M. Kwak: Calculation of stress intensity factors by sensitivity analysis with respect to change of boundary conditions | 63 |
| A. A. Rubinstein: Stability of the numerical procedure for solution of singular integral equations on semi-infinite interval. Application to fracture mechanics | 71 |
| Long Yuqiu and Jun Qian: Calculation of stress intensity factors for surface cracks in a three-dimensional body by sub-region mixed FEM | 75 |
| COMPOSITES | |
| P. Ladevèze: A damage computational method for composite structures | 79 |
| J. Avrashi and P. Bar-Yoseph: Variational asymptotic study of a cylindrical embedded delamination in composites | 89 |
| A. G. Kolpakov: On the dependence of the velocity of elastic waves in composite media on initial stresses | 97 |
| R. Vaziri, M. D. Olson and D. L. Anderson: Finite element analysis of fibrous composite structures: a plasticity approach | 103 |
| NONLINEAR ANALYSIS | |
| W. Kanok-Nukulchai and S. F. Lin: Nonlinear analysis using Ritz vector reduced basis | 117 |

| | |
|--|-----|
| C. N. Chen: An acceleration method in elasto-plastic finite element computation | 125 |
| F. Fujii, K. K. Choong and S.-X. Gong: Variable displacement control to overcome turning points of nonlinear elastic frames | 133 |
| D. Shilkrut: On the influence of the paths of conservative multiparametrical loading on equilibrium states of geometrically nonlinear structures | 137 |
| ENGINEERING STRUCTURES | |
| S. H. Lo: Geometrically nonlinear formulation of 3D finite strain beam element with large rotations | 147 |
| J. Paavola: A finite element technique for thin-walled girders | 159 |
| B. Perry, P. Bar-Yoseph and G. Rosenhouse: Rectangular hybrid shell element for analysing folded plate structures | 177 |
| M. T. Ahmadi and S. Razavi: A three-dimensional joint opening analysis of an arch dam | 187 |
| S. Ohkubo and K. Makino: Nonlinear stress and displacement analysis of rigid plane frames by total complementary energy minimization | 193 |
| W. Shen: The generalized Müller-Breslau principle for higher-order elements | 207 |
| S. Rajasekaran and P. Sujatha: Configuration of deep funicular shells by boundary integral element method | 213 |
| P. Tuominen and T. Jaako: Generation of beam elements using the finite difference method | 223 |
| STABILITY | |
| A. Eriksson: On accurate descriptions for primary and secondary paths in equilibrium problems | 229 |
| R. Kouhia: On the solution of non-linear finite element equations | 243 |
| C. Byun and R. K. Kapania: Nonlinear transient response of imperfect hyperbolic shells using a reduction method | 255 |
| NONLINEAR DYNAMICS | |
| W. B. Krätzig and C. Eller: Numerical algorithms for nonlinear unstable dynamic shell responses | 263 |
| L. Gaul: Substructure behaviour of resilient support mounts for single and double stage mounting systems | 273 |
| M. W. Sayers and A. Stribersky: Computer algebra in nonlinear analyses of the straightline stability of combination vehicles | 279 |
| R. Lewandowski: Non-linear, steady-state vibration of structures by harmonic balance/finite element method | 287 |
| F. B. A. Beshara and K. S. Virdi: Prediction of dynamic response of blast-loaded reinforced concrete structures | 297 |

| | |
|--|-----|
| F. Bourquin and F. d'Hennezel: Intrinsic component mode synthesis and plate vibrations | 315 |
|--|-----|

FLUID-STRUCTURE INTERACTION

| | |
|--|-----|
| O. von Estorff: Coupling of BEM and FEM in the time domain: some remarks on its applicability and efficiency | 325 |
|--|-----|

| | |
|--|-----|
| J. H. Hwang, I. S. Kim, Y. S. Seol, S. C. Lee and Y. K. Chon: Numerical simulation of liquid sloshing in three-dimensional tanks | 339 |
|--|-----|

| | |
|---|-----|
| T. Mikami and J. Yoshimura: The collocation method for analyzing free vibration of shells of revolution with either internal or external fluids | 343 |
|---|-----|

| | |
|---|-----|
| Wang Qinqe and Huang Lidu: Eigen-problem of liquid-container coupling | 353 |
|---|-----|

GEOMECHANICS

| | |
|---|-----|
| A. Huerta and A. Rodriguez: Numerical analysis of non-linear large-strain consolidation and filling | 357 |
|---|-----|

| | |
|--|-----|
| Wang Shu, G. Schmid and N. Chouw: Geometrical interaction effects on the dynamic responses of soil-structure systems | 367 |
|--|-----|

| | |
|---|-----|
| J. S. Lee and X. Zhang: A boundary element formulation for a layered elastic half-space | 375 |
|---|-----|

| | |
|--|-----|
| W. K. Nowacki and B. Raniecki: Theoretical and numerical analysis of dynamic compacting of soil around a spherical source of explosion | 381 |
|--|-----|

NUMERICAL ANALYSIS

| | |
|--|-----|
| M. Papadrakakis and N. C. Kalathas: On the Newton-Lanczos approach for solving nonlinear finite element problems | 389 |
|--|-----|

| | |
|---|-----|
| X. Cao and H. P. Mlejnek: Second-order eigensensitivity analysis of discrete structural systems | 399 |
|---|-----|

| | |
|---|-----|
| A. Garon and R. Camarero: Imposition of normal and/or tangential boundary conditions by an augmented Lagrangian technique | 405 |
|---|-----|

| | |
|--|-----|
| P. Junghanns and D. Oestreich: Application of nonlinear singular integral equations to the numerical solution of a symmetric electrochemical machining problem | 409 |
|--|-----|

METAL FORMING

| | |
|---|-----|
| V. L. Kolmogorov and R. E. Lapovok: The calculation of stress-deformed state under non-isothermic plastic flow—the example of parallelepiped settling | 419 |
|---|-----|

| | |
|--|-----|
| C. Bohatier: A finite element formulation for large deformations with explicit or implicit formulation for the rheological law | 425 |
|--|-----|

| | |
|--|-----|
| R. Riccobono: A comparison between two different models for metal forming FEM analysis | 429 |
|--|-----|

| | |
|---|-----|
| H. J. Antúnez, S. R. Idelsohn and E. N. Dvorkin: Metal forming analysis by Fourier series expansion and further uses of pseudo-concentrations | 435 |
|---|-----|

APPLICATIONS OF MICROMECHANICS

| | |
|---|-----|
| F. G. Rammerstorfer, F. D. Fischer, H. J. Böhm and W. Daves: Computational micromechanics of multiphase materials | 453 |
|---|-----|

| | |
|---|-----|
| T. Stankowski: Numerical simulation of failure in particle composites | 459 |
| A. Kikuchi, T. Kawai and N. Suzuki: The rigid bodies-spring models and their applications to three-dimensional crack problems | 469 |
| A. Vakhrouchev and A. Lipanov: A numerical analysis of the rupture of powder materials under the power impact influence | 481 |
| N. B. Thomsen, B. N. Nielsen and B. L. Karihaloo: Numerical determination of transformation zone in partially stabilized zirconia | 487 |
| A. Postnikov and E. Chasovskoi: Numerical analysis for strength and failure of ceramic structures | 495 |

NUMBER 3

| | | |
|---|-----|--|
| A. K. Noor | 499 | Mechanics of anisotropic plates and shells—a new look at an old subject |
| S. C. Lin and T. Y. Kam | 515 | Buckling failure probability of imperfect elastic frames |
| T. L. Wang, M. Shahawy and D. Z. Huang | 525 | Impact in highway prestressed concrete bridges |
| J.-C. Luo | 535 | Algorithms for reducing the bandwidth and profile of a sparse matrix |
| K. H. Low | 549 | On the accuracy of the numerical integral for the analysis of dynamic response |
| F. W. Williams and Ye Jianqiao | 557 | Optimum mass design of prismatic assemblies of plates with longitudinal voids |
| Jin Keun Kim and Tae Gyu Lee | 567 | Nonlinear analysis of reinforced concrete beams with softening |
| G. Sathurappan, N. Rajagopalan and C. S. Krishnamoorthy | 575 | Nonlinear finite element analysis of reinforced and prestressed concrete slabs with reinforcement (inclusive of prestressing steel) modelled as discrete integral components |
| A. K. Ghosh and S. S. Dey | 585 | A simple finite element for the analysis of laminated plates |
| J. S. Jeon and C. S. Hong | 597 | Analysis of tapered sandwich structures with anisotropic composite faces |
| G. Chandrasekharappa | 609 | Nonlinear static and dynamic damped response of a composite rectangular plate resting on a two-parameter elastic foundation |
| R. D. Cook and J. Avrashi | 619 | Error estimation and adaptive meshing for vibration problems |

| | | |
|--|-----|--|
| W. Sun and N. G. Zamani | 627 | Adaptive mesh refinement/redistribution for the equations of linear elasticity, boundary element formulation |
| A. S. Gendy and A. F. Saleeb | 639 | On the finite element analysis of the spatial response of curved beams with arbitrary thin-walled sections |
| Han-bing Liu, Su-huan Chen and Jia-lin Wang | 653 | Boundary element perturbation for shape design: sensitivity analysis of vibration modes |
| S. Y. Hsu and O. H. Griffin, Jr | 657 | On stability and efficiency of numerical integration of endochronic constitutive equations |
| C. W. S. To | 667 | A stochastic version of the Newmark family of algorithms for discretized dynamic systems |
| A. Dey, J. N. Bandyopadhyay and P. K. Sinha | 675 | Finite element analysis of laminated composite paraboloid of revolution shells |
| Lin Jiahao | 683 | A fast CQC algorithm of psd matrices for random seismic responses |
| <i>Technical Notes</i> | | |
| Y. Zhang, D. T. Nguyen and J. W. Hou | 689 | An alternative formulation for design sensitivity analysis of linear structural dynamic systems |
| S. E. Mohamed, A. N. Kounadis and G. J. Simitse | 693 | Elasto-plastic analysis of gabled frames with non-prismatic geometries |

I Software Survey Section

NUMBER 4

COMPUTATIONAL STRUCTURES TECHNOLOGY

| | |
|---|-----|
| B. H. V. Topping and Asad I. Khan: Editorial | v |
| Conference Editorial Board | vii |
| S. M. Seraj, M. D. Kotsovos and M. N. Pavlović: Three-dimensional finite-element modelling of normal- and high-strength reinforced concrete members, with special reference to T-beams | 699 |
| G. Degrande and G. De Roeck: A spectral element method for two-dimensional wave propagation in horizontally layered saturated porous media | 717 |
| N. Akkas and T. Tokdemir: Extension of the residual variable method to propagation problems and its application to the wave equation in cylindrical coordinates | 729 |
| G. E. Cameron, C.-M. Chan, Lei Xu and D. E. Grierson: Alternative methods for the optimal design of slender steel frameworks | 735 |

| | |
|---|-----|
| J. A. Teixeira de Freitas and L. M. Santos Castro: Digital interpolation in mixed finite element structural analysis | 743 |
| Mallikarjuna, M. Fafard and N. Banthia: A new three-dimensional interface (contact) element for fiber pull-out behavior in composites | 753 |
| M. A. Jones, L. A. Binks and D. J. Henwood: Finite element methods applied to the analysis of high-fidelity loudspeaker transducers | 765 |
| Y. F. Dong and J. A. Teixeira de Freitas: An efficient eight-node incompatible solid element with stress interpolation | 773 |
| Min Zhou, Siliang Zheng and Wei Zhang: Study on elephant-foot buckling of broad liquid storage tanks by nonlinear theory of shells | 783 |
| A. Behraves, A. Davaran and A. Kaveh: A finite difference scheme with variable rectilinear mesh for solving multi-harmonic partial differential equations | 789 |
| C. Y. Chia and D. S. Chia: Nonlinear vibration of moderately thick anti-symmetric angle-ply shallow spherical shell | 797 |
| Shu Wang: Coupled boundary and finite elements for dynamic structure (3D)-foundation-soil interaction | 807 |
| S. L. Weissman: A mixed formulation of nonlinear-elastic problems | 813 |
| M. R. Geçit and F. İ. Külünk: Antiplane shear problem for laminated composites containing broken strips | 823 |
| F. H. Al-Sugair: Stochastic prediction of the drying shrinkage of concrete using a white noise process | 829 |
| L. L. Broderick and J. W. Leonard: Nonlinear water-wave structure interaction | 837 |
| M. Pasquino and F. Marotti de Sciarra: Buckling of thin-walled beams with open and generically variable section | 843 |
| E. Karaesmen, L. Ileri and N. Akkas: Chaotic dynamic analysis of viscoelastic shallow spherical shells | 851 |
| J. E. T. Menezes and M. Matos Fernandes: The influence of water on the seismic response of waterfront retaining walls | 859 |
| N. M. Auciello and A. Ercolano: Nonlinear analysis of a beam subjected to axial and transverse loads | 863 |
| V. E. Bulgakov and M. V. Belyi: Fast algorithms for multi-grid solvers of three-dimensional boundary value problems in structural analysis | 869 |
| H. A. Eschenauer, G. Schuhmacher and W. Hartzheim: Multidisciplinary design of composite aircraft structures by LAGRANGE | 877 |

| | |
|--|-----|
| P. T. S. Ho: Comparison of performance of a flat faceted shell element and a degenerated superparametric shell element | 895 |
| Gengdong Cheng and Young Zeng: Strategies for automatic finite element modeling | 905 |
| <i>Technical Notes</i> | |
| Yang Xingjian: A database design method for finite element analysis | 911 |
| M. S. Hayalioglu and M. P. Saka: Optimum design of geometrically nonlinear elastic-plastic steel frames with tapered members | 915 |
| M. P. Saka: Optimum design of multistorey structures with shear walls | 925 |

NUMBER 5

| | | |
|---|------|--|
| S. Nemat-Nasser and Y.-F. Li | 937 | A new explicit algorithm for finite-deformation elastoplasticity and elastoviscoplasticity: performance evaluation |
| F. W. Liou and C. J. Lou | 965 | An efficient design approach for flexible mechanisms |
| I. W. Liu and C. C. Lin | 973 | Indeterminate approach to the optimization of frame structures with stability constraints |
| F. Cesari | 983 | An enthalpy formulation of the conduction problem with phase changes |
| A. K. H. Kwan | 989 | Rotational DOF in the frame method analysis of coupled shear/core wall structures |
| J. A. T. de Freitas and A. C. B. S. Ribeiro | 1007 | Large displacement elastoplastic analysis of space trusses |
| H. H. Abdelmohsen and R. E. Rowlands | 1017 | Hybrid stress analysis of flexed isotropic and composite plates |
| N. Arwashan | 1029 | A new technique for analyzing single-bay framed structures |
| J. S. Chang and H. F. Sher | 1037 | Elastoplastic postbuckling behavior of perfect and imperfect built-up columns |
| M. Saiidi and D. Orie | 1047 | Earthquake design forces in regular highway bridges |
| H. D. Gans and P. R. Woodmansee | 1055 | An improved method of modeling porous materials using finite elements |
| L. A. Dombrovsky | 1065 | Incremental constitutive equations for Miller and Bodner-Partom viscoplastic models |
| Ping Hu, Yongbin Liu and Suyou Cheng | 1073 | Improvement of the common elastic-plastic FEM and hybrid/mixed quasi-secant modulus method |

| | | |
|--|------|--|
| J. Ch. Ermopoulos, A. S. Vlahinos and Yang-Cheng Wang | 1083 | Stability analysis of cable-stayed bridges |
| D. Bushnell | 1091 | Truss-core sandwich design via PANDA2 |
| | | <i>Technical Notes</i> |
| Mallikarjuna and P. Mahadevappa | 1121 | Computer aided analysis of reinforced concrete columns subjected to axial compression and bending—I. L-shaped sections |
| A. Y. Aköz and N. Uzman | 1139 | The new functional for Reissner plates and its application |
| P. A. Bosela, F. J. Shaker and D. G. Fertis | 1145 | Dynamic analysis of space-related linear and non-linear structures |
| K. L. Lawrence, V. Yee, R. Knipe and R. V. Nambiar | 1149 | C routines for FEM applications |

I Software Survey Section

NUMBER 6

| | | |
|--|------|--|
| R. Barboni and P. Gaudenzi | 1169 | A class of C^0 finite elements for the static and dynamic analysis of laminated plates |
| W. M. G. Courage and P. J. G. Schreurs | 1179 | Effective material parameters for composites with randomly oriented short fibres |
| S. H. Lo | 1187 | On bandsolver using skyline storage |
| G. D. Stefanou, E. Moossavi, S. Bishop and P. Koliopoulos | 1197 | Dynamic analysis approach of nonlinear structures by minimizing the total potential dynamic work |
| N. G. Pegg | 1205 | A numerical study of dynamic pulse buckling of ring-stiffened cylinders |
| Sung-Kie Youn and E. B. Becker | 1215 | A finite element method for the analysis of piezo-electric composite hydrophones |
| P. Tuğcu | 1225 | A study of dynamic failure for strain-softening viscoplastic solids |
| H. Vaziri | 1235 | A semi-analytical approach to elasto-plastic analysis of hollow spheres |
| S. Syngellakis and A. K. L. Chan | 1239 | Free vibrations of coupled walls by transfer matrices and finite element modelling of joints |

| | | |
|---|------|--|
| L. P. S. Barra, A. L. G. A. Coutinho, W. J. Mansur and J. C. F. Telles | 1249 | Iterative solution of BEM equations by GMRES algorithm |
| Y. Song and G. J. Simitzes | 1255 | Thermo-elastoviscoplastic snapthrough behavior of cylindrical panels |
| P. Boisse, J. L. Daniel and J. C. Gelin | 1263 | A simple isoparametric three-node shell finite element |
| K.-H. Chang and K. K. Choi | 1275 | An error analysis and mesh adaptation method for shape design of structural components |
| G. M. Hulbert | 1291 | Explicit momentum conserving algorithms for rigid body dynamics |
| C. Y. Lee and D. Liu | 1305 | Layer reduction technique for composite laminate analysis |
| A. Carpinteri | 1317 | An automated procedure for fatigue crack growth analysis |
| Bon Ung Koo and Byung Chai Lee | 1339 | An efficient profile reduction algorithm based on the frontal ordering scheme and the graph theory |
| | | <i>Compendium</i> |
| T. K. Huang, W. F. Chen and J. C. Chameau | 1349 | The application of cap-plasticity-model to embankment problems |
| | | <i>Technical Notes</i> |
| A. E. Anuta, Jr | 1371 | A natural solution to the modal equations |
| H. Singh and G. M. Singh | 1377 | Non-linear analysis of frames |
| P. Léger and S. S. Bhattacharjee | 1381 | Reduced frequency-independent models for seismic analysis of concrete gravity dams |
| | | I Software Survey Section |
| | | i List of Contents and Author Index for Volume 44, 1992 |